

ENERGY CONSUMPTION SUMMARY

By kjww

	Elect Cons. (kWh)	PCldW Cons. (kBtu)	P.Stm Cons. (kBtu)	% of Total Building Energy	Total Building Energy (kBtu/yr)	Total Source Energy* (kBtu/yr)
Alternative 1						
Primary heating						
Primary heating			2,588,193	34.5 %	2,588,193	3,450,924
Other Htg Accessories	1,125			0.1 %	3,838	11,516
Heating Subtotal	1,125		2,588,193	34.6 %	2,592,032	3,462,441
Primary cooling						
Cooling Compressor		2,299,962		30.7 %	2,299,962	1,769,202
Tower/Cond Fans				0.0 %	0	0
Condenser Pump				0.0 %	0	0
Other Clg Accessories				0.0 %	0	0
Cooling Subtotal....		2,299,962		30.7 %	2,299,962	1,769,202
Auxiliary						
Supply Fans	72,362			3.3 %	246,971	740,988
Pumps	2,617			0.1 %	8,932	26,799
Stand-alone Base Utilities	34,592		16,438	1.8 %	134,501	376,141
Aux Subtotal....	109,571		16,438	5.2 %	390,404	1,143,928
Lighting						
Lighting	267,297			12.2 %	912,286	2,737,132
Receptacle						
Receptacles	382,599			17.4 %	1,305,809	3,917,818
Cogeneration						
Cogeneration				0.0 %	0	0
Totals						
Totals**	760,592	2,299,962	2,604,632	100.0 %	7,500,493	13,030,519

* Note: Resource Utilization factors are included in the Total Source Energy value.

** Note: This report can display a maximum of 7 utilities. If additional utilities are used, they will be included in the total.

ENERGY CONSUMPTION SUMMARY

By kjww

	Elect Cons. (kWh)	PCldW Cons. (kBtu)	P.Stm Cons. (kBtu)	% of Total Building Energy	Total Building Energy (kBtu/yr)	Total Source Energy* (kBtu/yr)
Alternative 2						
Primary heating						
Primary heating			3,147,377	33.6 %	3,147,377	4,196,503
Other Htg Accessories	2,879			0.1 %	9,826	29,482
Heating Subtotal	2,879		3,147,377	33.7 %	3,157,204	4,225,986
Primary cooling						
Cooling Compressor		2,690,125		28.7 %	2,690,125	2,069,327
Tower/Cond Fans				0.0 %	0	0
Condenser Pump				0.0 %	0	0
Other Clg Accessories				0.0 %	0	0
Cooling Subtotal....		2,690,125		28.7 %	2,690,125	2,069,327
Auxiliary						
Supply Fans	160,867			5.9 %	549,039	1,647,282
Pumps	2,077			0.1 %	7,089	21,270
Stand-alone Base Utilities	34,592		34,192	1.6 %	152,254	399,812
Aux Subtotal....	197,536		34,192	7.6 %	708,383	2,068,364
Lighting						
Lighting	440,214			16.1 %	1,502,452	4,507,806
Receptacle						
Receptacles	382,599			14.0 %	1,305,809	3,917,818
Cogeneration						
Cogeneration				0.0 %	0	0
Totals						
Totals**	1,023,228	2,690,125	3,181,569	100.0 %	9,363,971	16,789,300

* Note: Resource Utilization factors are included in the Total Source Energy value.

** Note: This report can display a maximum of 7 utilities. If additional utilities are used, they will be included in the total.